ELSEVIER

Sensors and Actuators B 41 (1997) 219–222

SENSORS AND ACTUATORS B CHEMICAL

Subject Index of Volume B 41

Adaptive control theory
high speed active gas/odor sensing system using adaptive control theory, 183
Aflatoxin M_1
electrochemical transduction of interactions of aflatoxin M_1 with bilayer lipid membranes (BLMs) for the construction of one-shot sensors, 213
Alkane molecules
MOS structure (Pd-SiO_2-Si) based gas sensor with an external catalyst element, 153
Amperometric gas sensors
amperometric solid-state NO_2 sensor based on plasticized PVC matrix containing a hydrophobic electrolyte, 1
electrocatalytic, diffusional and analytical characteristics of a cobalt phthalocyanine modified, screen-printed, amperometric gas sensor for propanethiol, 169
Artificial neural networks
qualitative and quantitative analysis of volatile organic compounds using transient and steady-state responses of a thick-film tin oxide gas sensor array, 13
Artificial nose
a comparative study of signal processing techniques for clustering microsensor data (a first step towards an artificial nose), 105

Bilayer lipid membranes
electrochemical transduction of interactions of aflatoxin M_1 with bilayer lipid membranes (BLMs) for the construction of one-shot sensors, 213
Biosensors
DNA binding and hybridization on gold and derivatized surfaces, 189
single-mode optical fibre surface plasma wave chemical sensor, 71
Butter flavor
high resolution gas chromatography/selective odorant measurement by multisensor array (HRGC/SOMSA): a useful approach to standardise multisensor arrays for use in the detection of key food odorants, 81

Cermet film oxygen sensor
platinum doped titania film oxygen sensor integrated with temperature compensating thermistor, 131
Chemical sensor
fibre optic sensor for diesel engine smoke measurement, 159
Conducting polymers
low frequency a.c. response of polypyrrole gas sensors, 97

Defect structure
defect structure and oxygen sensing properties of Mg-doped $SrTiO_3$ thick film sensors, 177
Deuterated silicone
studies on siloxane polymers for NIR-evanescent wave absorbance sensors, 45

Diffusion coefficient
electrocatalytic, diffusional and analytical characteristics of a cobalt phthalocyanine modified, screen-printed, amperometric gas sensor for propanethiol, 169
Dissociation energy
MOS structure (Pd-SiO_2-Si) based gas sensor with an external catalyst element, 153
DNA
DNA binding and hybridization on gold and derivatized surfaces, 189

Electrochemistry
electrochemical transduction of interactions of aflatoxin M_1 with bilayer lipid membranes (BLMs) for the construction of one-shot sensors, 213
Electrolysis
ISFET glucose and sucrose sensors by using platinum electrode and photo-crosslinkable polymers, 7
Electronic nose
high resolution gas chromatography/selective odorant measurement by multisensor array (HRGC/SOMSA): a useful approach to standardise multisensor arrays for use in the detection of key food odorants, 81
signal processing for improving gas sensor response time, 63
Evanescent wave sensor
studies on siloxane polymers for NIR-evanescent wave absorbance sensors, 45

Fibre optics
fibre optic sensor for diesel engine smoke measurement, 159
single-mode optical fibre surface plasma wave chemical sensor, 71
Film thermistor
platinum doped titania film oxygen sensor integrated with temperature compensating thermistor, 131
Fish freshness
manganese phthalocyanine for the detection of fish freshness by its trimethylamine emission, 199
Flavor of food
high resolution gas chromatography/selective odorant measurement by multisensor array (HRGC/SOMSA): a useful approach to standardise multisensor arrays for use in the detection of key food odorants, 81
Fourier transform
the concentration-estimation of inflammable gases with a semiconductor gas sensor utilizing neural networks and fuzzy inference, 121
Fuzzy inference
the concentration-estimation of inflammable gases with a semiconductor gas sensor utilizing neural networks and fuzzy inference, 121

Gas chromatography
high resolution gas chromatography/selective odorant measurement by multisensor array (HRGC/SOMSA): a useful ap-

proach to standardise multisensor arrays for use in the detection of key food odorants, 81
Gas–odor sensing system
high speed active gas/odor sensing system using adaptive control theory, 183
Gas sensing
a comparative study of signal processing techniques for clustering microsensor data (a first step towards an artificial nose), 105
Gas sensors
a new carbon monoxide sensor using a polypyrrole film grown on an interdigital-capacitor substrate, 203
an optical gas sensor based on polyaniline Langmuir-Blodgett films, 137
H_2 sensing behavior of MOCVD-derived SnO_2 thin films, 55
low frequency a.c. response of polypyrrole gas sensors, 97
manganese phthalocyanine for the detection of fish freshness by its trimethylamine emission, 199
metal-semiconductor ohmic contact of SnO_2-based ceramic gas sensors, 163
MOS structure (Pd-SiO_2-Si) based gas sensor with an external catalyst element, 153
resistance measurements of platinum-titania thin film gas detectors in ultra-high vacuum (UHV) and reactive ion etcher (RIE) systems, 143
Glucose sensors
ISFET glucose and sucrose sensors by using platinum electrode and photo-crosslinkable polymers, 7

Haar wavelet transform
a comparative study of signal processing techniques for clustering microsensor data (a first step towards an artificial nose), 105
Heated catalyst
MOS structure (Pd-SiO_2-Si) based gas sensor with an external catalyst element, 153
Hybridization
DNA binding and hybridization on gold and derivatized surfaces, 189
Hydrocarbons
studies on siloxane polymers for NIR-evanescent wave absorbance sensors, 45
Hydrogel
electrocatalytic, diffusional and analytical characteristics of a cobalt phthalocyanine modified, screen-printed, amperometric gas sensor for propanethiol, 169

Immunoassays
optical immunosensing of lactate dehydrogenase (LDH), 89
Interdigitated-capacitor sensors
a new carbon monoxide sensor using a polypyrrole film grown on an interdigital-capacitor substrate, 203
Ion-sensitive field-effect transistors (ISFETs)
ISFET glucose and sucrose sensors by using platinum electrode and photo-crosslinkable polymers, 7

Lactate dehydrogenase
optical immunosensing of lactate dehydrogenase (LDH), 89
Langmuir-Blodgett film
an optical gas sensor based on polyaniline Langmuir-Blodgett films, 137
Low-frequency a.c. measurements
low frequency a.c. response of polypyrrole gas sensors, 97
Matching resistance
platinum doped titania film oxygen sensor integrated with temperature compensating thermistor, 131
Metal oxide semiconducting sensors
high resolution gas chromatography/selective odorant measurement by multisensor array (HRGC/SOMSA): a useful approach to standardise multisensor arrays for use in the detection of key food odorants, 81
Metal-semiconductor contact
metal-semiconductor ohmic contact of SnO_2-based ceramic gas sensors, 163
Micro-hotplates
a comparative study of signal processing techniques for clustering microsensor data (a first step towards an artificial nose), 105
Microsensor
a comparative study of signal processing techniques for clustering microsensor data (a first step towards an artificial nose), 105
MOCVD
H_2 sensing behavior of MOCVD-derived SnO_2 thin films, 55
MOS structure
MOS structure (Pd-SiO_2-Si) based gas sensor with an external catalyst element, 153

Neural network
the concentration-estimation of inflammable gases with a semiconductor gas sensor utilizing neural networks and fuzzy inference, 121
NIR
studies on siloxane polymers for NIR-evanescent wave absorbance sensors, 45
Nitrogen dioxide
amperometric solid-state NO_2 sensor based on plasticized PVC matrix containing a hydrophobic electrolyte, 1
Nonstoichiometry
defect structure and oxygen sensing properties of Mg-doped $SrTiO_3$ thick film sensors, 177
Nose congruent sensor array
high resolution gas chromatography/selective odorant measurement by multisensor array (HRGC/SOMSA): a useful approach to standardise multisensor arrays for use in the detection of key food odorants, 81

Olfactory model
a comparative study of signal processing techniques for clustering microsensor data (a first step towards an artificial nose), 105
Optical fibre sensor
single-mode optical fibre surface plasma wave chemical sensor, 71
Optical sensors
on the sensitivity of surface plasmon resonance sensors with spectral interrogation, 207
Oxygen sensors
defect structure and oxygen sensing properties of Mg-doped $SrTiO_3$ thick film sensors, 177

Pattern-recognition
qualitative and quantitative analysis of volatile organic compounds using transient and steady-state responses of a thick-film tin oxide gas sensor array, 13
Periodic operation
the concentration-estimation of inflammable gases with a semiconductor gas sensor utilizing neural networks and fuzzy inference, 121
Platinum
resistance measurements of platinum-titania thin film gas detectors in ultra-high vacuum (UHV) and reactive ion etcher (RIE) systems, 143

Platinum electrodes
ISFET glucose and sucrose sensors by using platinum electrode and photo-crosslinkable polymers, 7
Poly(3-alkylo,4-nitrothiophenes)
the influence of steam on the electrical properties of poly(3-alkylthiophenes) and their derivatives, 37
Poly(3-alkylthiophenes)
the influence of steam on the electrical properties of poly(3-alkylthiophenes) and their derivatives, 37
Polyaniline
an optical gas sensor based on polyaniline Langmuir-Blodgett films, 137
Poly(3,B′-chloroalkylo,4-chlorothiophenes)
the influence of steam on the electrical properties of poly(3-alkylthiophenes) and their derivatives, 37
Polypyrrole
low frequency a.c. response of polypyrrole gas sensors, 97
Polypyrrole sensors
a new carbon monoxide sensor using a polypyrrole film grown on an interdigital-capacitor substrate, 203
Polysiloxane membrane
studies on siloxane polymers for NIR-evanescent wave absorbance sensors, 45
Principal component analysis
qualitative and quantitative analysis of volatile organic compounds using transient and steady-state responses of a thick-film tin oxide gas sensor array, 13
Propanethiol
electrocatalytic, diffusional and analytical characteristics of a cobalt phthalocyanine modified, screen-printed, amperometric gas sensor for propanethiol, 169
PVA–SbQ
ISFET glucose and sucrose sensors by using platinum electrode and photo-crosslinkable polymers, 7

Quartz crystal microbalance
DNA binding and hybridization on gold and derivatized surfaces, 189

Refractive index
on the sensitivity of surface plasmon resonance sensors with spectral interrogation, 207

SAW
high resolution gas chromatography/selective odorant measurement by multisensor array (HRGC/SOMSA): a useful approach to standardise multisensor arrays for use in the detection of key food odorants, 81
Schottky barrier
metal-semiconductor ohmic contact of SnO_2-based ceramic gas sensors, 163
Screen printed electrodes
electrocatalytic, diffusional and analytical characteristics of a cobalt phthalocyanine modified, screen-printed, amperometric gas sensor for propanethiol, 169
Semiconductor gas sensor
the concentration-estimation of inflammable gases with a semiconductor gas sensor utilizing neural networks and fuzzy inference, 121
Sensors
electrochemical transduction of interactions of aflatoxin M_1 with bilayer lipid membranes (BLMs) for the construction of one-shot sensors, 213
Sensory plane processing
signal processing for improving gas sensor response time, 63
Signal processing
a comparative study of signal processing techniques for clustering microsensor data (a first step towards an artificial nose), 105
Smart sensors
signal processing for improving gas sensor response time, 63
Smoke measurements
fibre optic sensor for diesel engine smoke measurement, 159
SnO_2
H_2 sensing behavior of MOCVD-derived SnO_2 thin films, 55
SnO_2 ceramics
metal-semiconductor ohmic contact of SnO_2-based ceramic gas sensors, 163
Solid-state sensors
amperometric solid-state NO_2 sensor based on plasticized PVC matrix containing a hydrophobic electrolyte, 1
$SrTiO_3$ ceramic
defect structure and oxygen sensing properties of Mg-doped $SrTiO_3$ thick film sensors, 177
Steady-state and dynamic response
qualitative and quantitative analysis of volatile organic compounds using transient and steady-state responses of a thick-film tin oxide gas sensor array, 13
Steam and polymer sensors
the influence of steam on the electrical properties of poly(3-alkylthiophenes) and their derivatives, 37
Sucrose sensors
ISFET glucose and sucrose sensors by using platinum electrode and photo-crosslinkable polymers, 7
Surface acoustic wave
SAW NO_x gas sensor using WO_3 thin-film sensitive coating, 31
Surface acoustic wave NO_x gas sensor
SAW NO_x gas sensor using WO_3 thin-film sensitive coating, 31
Surface plasma wave sensor
single-mode optical fibre surface plasma wave chemical sensor, 71
Surface plasmon resonance
an optical gas sensor based on polyaniline Langmuir-Blodgett films, 137
DNA binding and hybridization on gold and derivatized surfaces, 189
on the sensitivity of surface plasmon resonance sensors with spectral interrogation, 207
optical immunosensing of lactate dehydrogenase (LDH), 89

Temperature compensation
platinum doped titania film oxygen sensor integrated with temperature compensating thermistor, 131
Thin film
H_2 sensing behavior of MOCVD-derived SnO_2 thin films, 55
Tin oxide
a comparative study of signal processing techniques for clustering microsensor data (a first step towards an artificial nose), 105
Tin oxide gas sensor
qualitative and quantitative analysis of volatile organic compounds using transient and steady-state responses of a thick-film tin oxide gas sensor array, 13
Tin-oxide gas sensors
signal processing for improving gas sensor response time, 63
TiO_2 thin films
resistance measurements of platinum-titania thin film gas detectors in ultra-high vacuum (UHV) and reactive ion etcher (RIE) systems, 143
Trimethylamine sensor
manganese phthalocyanine for the detection of fish freshness by its trimethylamine emission, 199

Volatile organic compounds
qualitative and quantitative analysis of volatile organic compounds using transient and steady-state responses of a thick-film tin oxide gas sensor array, 13

Waveguide grating coupling
waveguide excitation by a Gaussian beam and a finite size grating, 23

Waveguide sensors
waveguide excitation by a Gaussian beam and a finite size grating, 23

WO_3 thin films
SAW NO_x gas sensor using WO_3 thin-film sensitive coating, 31